




Matthew Repinski
Large Dairy Herd Specialist
WinField Solutions, LLC
(715) 498-4273 cell
MTRepinski@landolakes.com

Brown & Kewaunee Counties Dairy Forage Seminar March 17, 2011 Green Bay, WI



Variation in Forages, Starch, Protein and Byproducts will compromise FCM

Sources of variation in FCM production



Forage, Starch, Protein and Byproduct variation accounts for 65% of on-farm variation in fat corrected milk.

These sources of variation must be understood, measured and controlled to ensure predictable performance

Data derived from DCM ** Corn silage, database alfalfa hay, etc.





HIGHER FORAGE DIETS



Healthier for cows

More fiber of adequate particle size promotes cud chewing and elevates ruminal pH, improves total digestibility, and increases milk fat content (Yang and Beauchemin, JDS, 2007)

More economical
Less expensive grain
More home grown feeds used in
the ration





Today's Topics

- Forage Genetics International (FGI)
- Alfalfa Product Development
- Low Lignin Alfalfa
- Roundup Ready Alfalfa
- Alfalfa Management







Forage Genetics Footprint



With more than 40 research, testing and production facilities located across the United States, we have the experience, expertise and diversity to bring great ideas to life.

FGI is a wholly owned subsidiary of Land O' Lakes Inc.; a farmer owned cooperative.







Forage Genetics International (FGI)





West Salem, WI Nampa, ID Boone/Napier, IA Touchet, WA Woodland, CA Lancaster, PA Larned, KS







Plant Breeding/Product Development

FGI is world leader in value added alfalfa genetics

- Multiple alfalfa breeding programs, from varied geographies, tested and integrated over many years
- Elite genetics available ranging from Fall Dormancy 2-11. (FD 2 = dormant FD 11 = non-dormant)
- Product selection and testing conducted across in locations across the US (and abroad)
 - Allows us to develop seed varieties that deliver optimum yield and quality in local growing conditions.
 - While enabling us to develop products that perform and adapt across environments
- 35+ Product breeding stations and testing locations across the US.









Biotechnology & Advanced Technologies

FGI is the alfalfa industries leading developer of biotechnology and marker assisted breeding

- Roundup Ready® Alfalfa
- Reduced Lignin Alfalfa
 - Improves quality, yield or both
- Ongoing trait integration and field testing of other traits specific for alfalfa
 - Abiotic stress, enhanced biomass, delayed flowering
- New corn silage breeding program
- Alfalfa trait partnerships with Noble Foundation, USDA-ARS and Monsanto









Consortium for Alfalfa Improvement

USDFRC











Potential Quality Traits

Improved fiber digestibility

Reduced lignin alfalfa

Increased efficiency of protein utilization

- Decrease post harvest proteolysis in haylage
 - PPO alfalfa (poly phenol oxidase)
- Decrease rate/extent of rumen degradation
 - Tannin alfalfa







IMPROVED FIBER DIGESTIBILITY

Lignin is an indigestible phenolic compound in alfalfa cell walls.


As alfalfa matures, lignin content increases. Lignin cross-links with cellulose which decreases digestibility of fiber (NDF). Genetic engineering can be used to modulate lignin synthesis – altered lignin content and composition.







Maule staining of Conventional vs RL transgenic alfalfa







Reduced Lignin Alfalfa





The USDFRC estimates that a 10% increase in fiber digestibility would:


- Increase milk/beef production by \$350M/yr
- Decrease manure production by 2.8M T/yr





© 2011 Winfield Solutions, LLC

Lignin Biosynthetic Pathway



Proof of Concept - Nampa, ID May 30, 2007















2005 RL field study summary - West Salem, WI






2008 Cutting Management Trials (WI, MN)





2007 CCOMT Event Sorting Commercial Construct



Note: Lower stem samples, Consortium equation, Average of 25 elite events





Forage Quality of Hay Samples

6/1/07 Whole Plant Samples - at harvest

<u> </u>	HE GAIL	OIOO GI	TIGITOUT
Genotype	NDF	ADL	NDFD
CCOMT-	39.8	5.3	53.6
CCOMT null	40.4	6.2	47.4
COMT-	39.4	5.7	57.6
COMT null	40.5	6.1	49.3

Note: USDFRC RL NIRS used for quality analysis







Why Alfalfa?

- Feeding qualities
 - Digestible fiber, protein, minerals
- Agronomic benefits
 - Crop rotation, nitrogen credit
 - Reduced soil loss, tolerance to drought
- High forage yield
 - Average yield vs. potential yield





INPUT vs. OUTPUT traits

- What is the difference ??
- Why is this important ??
- Input trait = RR alfalfa (apply herbicide to benefit)
- Output trait = Low Lignin, bypass protein, drought

— How might this change future plant improvement?





Genuity® Roundup Ready® Alfalfa Technology Offers

—Quicker and More Reliable Stand Establishment.



Thicker Alfalfa Stands From Beginning to End.



Better Quality by Weed Removal will Enhance Digestibility Potential.







Superior Crop Safety Compared to Conventional Herbicides

Roundup Ready System

Competitive Treatment




Both herbicide treatment programs were applied to Roundup Ready alfalfa.

Roundup Ready Alfalfa **Conventional Alfalfa** Fall Planted **Fall Planted** Roundup Original Max 22 Ounces / Acre Spring Applied No Herbicide

Better Quality by Weed Removal Will Enhance Digestibility Potential

GENRR Alfalfa Varieties Agronomic Performance vs. Conventional Varieties



¹Trials conducted in 2004 by Forage Genetics, Inc. 15 dormant Roundup Ready ® alfalfa varieties were compared to 4 top-performing commercial conventional varieties in all locations. Yield data means summarized over 7 locations. RFQ data means summarized over 3 locations.





General Establishment Methods. Genuity® Roundup Ready® Alfalfa Benefits to Producer:

- 1.) Direct Seed Alfalfa in Spring direct seeded alfalfa can deliver quicker, thicker, better quality alfalfa stands on your farm
- Spring seed GENRR alfalfa (no oats)
- Apply glyphosate at 30 days after seeding (dependent upon heat units)
- Harvest 1st crop new seeding alfalfa around 60 days
- Harvest 2nd and following crops at about 30-35 days
- Plan to harvest several weed free high quality cuttings each season







30 days after seeding...


First Glyphosate Application

Eliminate null plants (typically 4-5% of seeds)
Remove competitive weeds/cover crop

 Depending on heat units application may need to be sooner than 30 days



3 to 4 trifoliate alfalfa growth stage







Superior Crop Safety Compared to Conventional Herbicides

Genuity® Roundup Ready® System Allows For...

- Decreased crop injury from conventional herbicides
- —Increased Forage Yield Potential
- Decreased competition from weeds and/or cover crop

Conventional Genuity® Roundup Ready® Treatment System **Yield Loss**

*Both herbicide treatment programs were applied to Roundup Ready® alfalfa.





2.) Use Oat Cover Crop "Take-Out" - use on your highly erodible soils (HEL)

Seedling oats will provide an immediate soil cover for the alfalfa.

Seed oats and GENRR alfalfa. (Option: Seed oats only in the highly

erodible areas of field)

 Apply glyphosate when oats are about 6-12 inches tall. (Dead oats will provide excellent soil erosion control measure)

- Harvest 1st crop alfalfa around
 70-80 days after seeding
- Harvest 2nd and following crops around 30-35 days
- Plan to harvest several weed free high quality cuttings each season







3.) Use for "clean-up" after Oatlage harvest - use on your most erodible soils.

- At approx. 10-15 days after oatlage harvest apply glyphosate to oat stubble
- Excellent time to tank mix
 Insecticide and Glyphosate
- Harvest weed free feed about
 30-40 days after application

*Always read and follow label directions.





- 4.) Direct Seed Alfalfa in Late Summer seed GENRR alfalfa following winter wheat or other late summer harvested crops.
- Seed GENRR alfalfa during month of August in Midwest
- Apply glyphosate approx.
 10-15 days after
 volunteer/weed plants
 emerge
- Get ready for clean weed free hay in 1st crop next spring







5.) Weed Control in Established Stands

Preliminary test results:

- —Roundup® applications in spring and/or fall result in excellent season-long control of weeds.
- Excellent crop safety with respect to forage yield and quality.



Conventional
Alfalfa Fall Planted
No Herbicide

Genuity® Roundup Ready® Alfalfa System Fall Planted





Stand Takeout for Recommendations Genuity® Roundup Ready® Alfalfa

Use one of the following herbicides for stand takeout at recommended label rates:

- 2,4-D ester/amine
- dicamba (Banvel®/Clarity®)
- 2,4-D + dicamba
- clopyralid + 2,4-D (Curtail®)
- clopyralid (Stinger®)

Fall application of above herbicides is preferred for stand take out.

Tillage following the herbicide application may improve the control of established alfalfa.

Refer to individual product labels for recommended rates and rotational crop considerations.

^{*}Always read and follow label directions.





Reasons Why Customers Are Satisfied With Genuity® Roundup Ready® Alfalfa

Good/better weed control/clean crop

Good/better yield

Good growth – comes up better/more vigor

Quality forage/feed

Looks good/good appearance

Early Establishment


Easy program

^{*}Information was collected from approx. 350 telephone surveys of current growers with 50+ acres of GENRR alfalfa in each year across all regions. Survey's were conducted by Monsanto.





Roundup Ready Alfalfa Customer Satisfaction







ROUNDUP® READY ALFALFA VALUE PERCEPTION

2006

- Grower Reported advantage of \$49/Acre
- Inclusive of seed, trait, herbicide and other costs compared with a comparable acre of conventional alfalfa

2008

- Grower Reported advantage of .9/tons per acre, conservatively worth \$110/acre
- Based on self reported grower comparisons to like, but conventional alfalfa stands





Quicker and More Reliable Stand Establishment

Comparison of various herbicide treatments on stand establishment of GENRR alfalfa with heavy early weed competition. GENRR is a cost effective system that increases the likelihood of successful stand establishment.

Spring Seeded Trial

Five days before first harvest

Seven days after first harvest





© 2011 Winfield Solutions, LLC

**Broad Spectrum Weed Control

2001 Herbicide Comparison – FGI research station, West Salem, Wisconsin






Be an Alfalfa Expert R7 for alfalfa

Stand Establishment
Soil Fertility and NutriSolutions
Stand Evaluations and "Reading the Stand"
Harvest Management and NutriSave
Insects Control and Agrisolutions Products
Alfalfa Diseases
Variety Selection and Seed Coating









Thank You!

QUESTIONS?

Matthew Repinski
Large Dairy Herd Specialist
WinField Solutions, LLC
(715) 498-4273 cell
MTRepinski@landolakes.com



